




## 普通型干燥机 Hopper Dryers

THD



### ● 特点 Features

- Hopper capacity range from 6kgs to 400kgs can be offered for selection.
- Hopper body is made of stainless steel to avoid material contamination.
- Hopper aluminum casting hopper barrel features smooth surface & good performance on temperature keeping.
- Round, good design with anti-dust design, eliminates dust for ensuring material be from contamination.
- Hopper barrel is filled with steel troughs, designed to observe inside material level.
- Hot air inlet elbow design can prevent dust piling up at the bottom of the hopper, to avoid burning.
- It's adopted hot air diffuser for assuring an even hot air flow to improve drying efficiency.
- Hopper barrel separated from its base for easy cleaning.
- Safety device with overload and overheat protection.
- It's equipped with the best convenient socket machine installation.

6-400


( )

( )


30%

Hopper Dryers are mainly applied to plastic material drying. Hot air is used to dry all wet materials which gain an even hot air flow to improve drying efficiency for assuring quality of products. Hopper capacities rang from 6kgs ~400kgs can be offered for selection. Exhaust air filter (option) can filter the dust, contain air effectively from discharging to the surrounding area. Hot air recyclers (option) to make hot air form a semi-closed circulated loop to speed up hot air circulation for shorten heating time to achieve energy saving up to 30%.


### ● 选择加装配件 Options



Magnetic Seat



Hopper Magnet



Hot Air Recycler




Exhaust Air Filter



Material suction box



Floor Stand



● 规格表 Specification Sheet

规格表		规格表
Hopper Capacity		
Blower Power		
Header Power		
Drying Temp		
Guide Size		
Hopper Body Dia		
ID Flange ID Dia		
PCD Flange PCD Dia		
OD Flange OD Dia		
PCD Blower PCD Dia		
OD Blower OD Dia		
Power Supply		
Control Voltage		
Total Power		
Wires Specification		
Wires Length		
Dimensions		
Weight		
Optional Accessories		

\*THD-120-L\*

\*THD-120T-L\*

We reserve right to change specifications without prior notice.

Feature and scope of the product does not guarantee the product attributes,only for reference.Our scope of delivery and services provided are based solely on the terms of delivery and services provided are based solely on the terms of the contract.Technical data and illustration are only for reference .We reserve the rights of changing.

**广东拓斯达科技股份有限公司**  
GUANGDONG TOPSTAR TECHNOLOGY CO., LTD.

ADD: No. 1 Changpu Road, Huasheng Industrial Park, Dongguan City,  
Guangdong Province

TEL: 0769-8208 0999 FAX: 0769-8204 0061

Business Service Center: 400-098-0005

