

# 牛头式三轴伺服机械手

## King Size Three-Axis Servo Driven Robots

MBW-130

MBW-130



Injection Press Range  
550 ~ 1300ton

型式 MODEL

单位

## 外形尺寸 OUTER DIMENSIONS

## MBW-130

## 选项功能 OPTION FUNCTION

A	Overall height	1850(1970)mm
B	Overall length	2725(3205)mm
C	Traverse stroke	2000(2500)mm
D	Main- arm vertical stroke	1300 1500 mm
E	Main- arm vertical standby	150mm
F	Bottom of crosswise to chuck mount position	- - -
G	- Base side face- Box end	550
H	Sub- arm Vertical standby	- - -
I	Main- arm reach max	1280mm
J	Main- arm crosswise stroke max	1010mm
K	Main- arm crosswise standby min	270mm
L	Main/Sub- arm proximity min	- - -
M	Sub- arm crosswise stroke max	- - -
N	Sub- arm crosswise standby min	- - -
O	- Crosswise arm end- Box end	1790

Air nipper in chuck circuit  
 NT gate cutting on crossmember of moving  
 Additional vacuum sensing unit 4 circuits  
 Product gripping 4 circuits  
 Mold close during ascend  
 Rotation unit  
 Ejector return link  
 EUROMAP 12  
 EUROMAP 67

C 2000mm      B 2725mm  
 • when dimension C is 2000mm      B is 2725mm

C 2500mm      B 3205mm  
 • when dimension C is 2500mm      B is 3205mm

D 1300mm      A 1850mm  
 • when dimension D is 1300mm      A is 1850mm

D 1500mm      A 1970mm  
 • when dimension D is 1500mm      A is 1970mm

Feature and scope of the product does not guarantee the product attributes, only for reference. Our scope of delivery and services provided are based solely on the terms of delivery and services provided are based solely on the terms of the contract. Technical data and illustration are only for reference. We reserve the rights of changing.

TSD- 2021- 12

**广东拓斯达科技股份有限公司**  
GUANGDONG TOPSTAR TECHNOLOGY CO.,LTD.

2

ADD : No.2 Chuangxin Road, Datanglang, Dalingshan Town, Dongguan City,  
Guangdong Province.

TEL: 0769- 8305 0999      FAX: 0769- 8584 5562

Domestic Service Hotline: **400-096-8005**

